

DATA SHEET

# FortiGate® 800D

Next Generation Firewall Secure SD-WAN Secure Web Gateway IPS



The FortiGate 800D series delivers next generation firewall (NGFW) capabilities for mid-sized to large enterprises deployed at the campus or enterprise branch level. Protects against cyber threats with high-powered security processors for optimized network performance, security efficacy, and deep visibility. Fortinet's Security-Driven Networking securely integrates with the new generation of cybersecurity solutions.

#### Security

- Identifies thousands of applications inside network traffic for deep inspection and granular policy enforcement
- Protects against malware, exploits, and malicious websites in both encrypted and non-encrypted traffic
- Prevents and detects against known attacks using continuous threat intelligence from Al-powered FortiGuard Labs security services
- Proactively blocks unknown sophisticated attacks in realtime with the Fortinet Security Fabric integrated Al-powered FortiSandbox

### **Performance**

- Engineered for Innovation using Fortinet's purpose-built security processors (SPU) to deliver the industry's best threat protection performance and ultra-low latency
- Provides industry-leading performance and protection for SSL encrypted traffic including the first firewall vendor to provide TLS 1.3 deep inspection

#### Certification

- Independently tested and validated best security effectiveness and performance
- Received unparalleled third-party certifications from NSS Labs, ICSA, Virus Bulletin, and AV Comparatives

#### **Networking**

- Application aware routing with in-built SD-WAN capabilities to achieve consistent application performance and the best user experience
- Built-in advanced routing capabilities to deliver high performance with encrypted IPSEC tunnels at scale

### Management

- Includes a management console that is effective and simple to use, which provides a comprehensive network of automation & visibility
- Provides Zero Touch Provisioning leveraging Single Pane of Glass Management powered by the Fabric Management Center
- Predefined compliance checklists analyze the deployment and highlight best practices to improve the overall security posture

#### **Security Fabric**

- Enables Fortinet and Fabric-ready partners' products to provide broader visibility, integrated end-to-end detection, threat intelligence sharing, and automated remediation
- Automatically builds Network Topology visualizations which discover IoT devices and provide complete visibility into Fortinet and Fabric-ready partner products

| Firewall | IPS      | NGFW   | Threat Protection | Interfaces   |
|----------|----------|--------|-------------------|--|
| 36 Gbps  | 4.2 Gbps | 4 Gbps | 3 Gbps            | Multiple GE RJ45, GE SFP, 10 GE SFP+ slots, and bypass GE RJ45 pairs |

### **Deployment**



### **Next Generation Firewall (NGFW)**

- Reduce the complexity and maximize your ROI by integrating threat protection security capabilities into a single highperformance network security appliance, powered by Fortinet's Security Processing Unit (SPU)
- Full visibility into users, devices, applications across the entire attack surface and consistent security policy enforcement irrespective of asset location
- Protect against network exploitable vulnerabilities with Industryvalidated IPS security effectiveness, low latency and optimized network performance
- Automatically block threats on decrypted traffic using the Industry's highest SSL inspection performance, including the latest TLS 1.3 standard with mandated ciphers
- Proactively block newly discovered sophisticated attacks in real-time with Al-powered FortiGuard Labs and advanced threat protection services included in the Fortinet Security Fabric



### Secure SD-WAN

- Consistent business application performance with accurate detection, dynamic WAN path steering and optimization
- Multi-cloud access for faster SaaS adoption with end-toend optimization
- Simplification with zero touch deployment and centralized management with auto-provisioning, analytics and reporting
- Strong security posture with next generation firewall and realtime threat protection




### Secure Web Gateway (SWG)

- Secure web access from both internal and external risks, even for encrypted traffic at high performance
- Enhanced user experience with dynamic web and video caching
- Block and control web access based on user or user groups across URL's and domains
- Prevent data loss and discover user activity to known and unknown cloud applications
- Block DNS requests against malicious domains
- Multi-layered advanced protection against zero-day malware threats delivered over the web




### **IPS**

- Purpose-built security processors delivering industry validated
   IPS performance with high throughput and low latency
- Deploy virtual patches at the network level to protect against network exploitable vulnerabilities and optimize network protection time
- Deep packet inspection at wire speeds offers unparalleled threat visibility into network traffic including traffic encrypted with the latest TLS 1.3
- Proactively block newly discovered sophisticated attacks in realtime with advanced threat protection provided by the intelligence services of the Fortinet Security Fabric




FortiGate 800D deployment in Campus (NGFW)



FortiGate 800D deployment in Enterprise Branch (Secure SD-WAN)

### **Hardware**

### FortiGate 800D








### Interfaces

- 1. USB Ports
- 2. Console Port
- 3. 2x GE RJ45 Management Ports
- 4. 2x Bypass GE RJ45 Pairs

- 5. 20x GE RJ45 Ports
- 6. 8x GE SFP Slots
- 7. 2x 10 GE SFP+ Slots

### Powered by SPU





- Other security technologies cannot protect against today's wide range of content- and connection-based threats because they rely on general-purpose CPUs, causing a dangerous performance gap
- SPU processors provide the performance needed to block emerging threats, meet rigorous third-party certifications, and ensure that your network security solution does not become a network bottleneck

### **Network Processor**

Fortinet's new, breakthrough SPU NP6 network processor works inline with FortiOS functions delivering:

- Superior firewall performance for IPv4/IPv6, SCTP, and multicast traffic with ultra-low latency down to 2 microseconds
- VPN, CAPWAP, and IP tunnel acceleration
- Anomaly-based intrusion prevention, checksum offload, and packet defragmentation
- Traffic shaping and priority queuing

### **Content Processor**

The SPU CP8 content processor works outside of the direct flow of traffic, providing high-speed cryptography and content inspection services including:

- Signature-based content inspection acceleration
- Encryption and decryption offloading

### 10 GE Connectivity


High-speed connectivity is essential for network security segmentation. The FortiGate 800D provides 10 GE slots that simplify network designs without relying on additional devices to bridge desired connectivity.

### **Fortinet Security Fabric**

### Security Fabric

The Security Fabric is the cybersecurity platform that enables digital innovations. It delivers broad visibility of the entire attack surface to better manage risk. It's unified and integrated solution reduces the complexity of supporting multiple- point products, while automated workflows increase operational speeds and reduce response times across the Fortinet deployment ecosystem. The Fortinet Security Fabric overs the following key areas under a single management center:

- Security-Driven Networking that secures, accelerates, and unifies the network and user experience
- Zero Trust Network Access that identifies and secures users and devices in real-time, on and off of the network
- Dynamic Cloud Security that protects and controls cloud infrastructures and applications
- Al-Driven Security Operations that automatically prevents, detects, isolates, and responds to cyber threat



### **FortiOS**

FortiGates are the foundation of the Fortinet Security Fabric—the core is FortiOS. All security and networking capabilities across the entire FortiGate platform are controlled with one intuitive operating system. FortiOS reduces complexity, costs, and response times by truly consolidating next-generation security products and services into one platform.

- A truly consolidated platform with a single OS and pane-of-glass for across the entire digital attack surface.
- Industry-leading protection: NSS Labs Recommended, VB100, AV Comparatives, and ICSA validated security and performance.
- Leverage the latest technologies such as deception-based security.

- Control thousands of applications, block the latest exploits, and filter web traffic based on millions of real-time URL ratings in addition to true TLS 1.3 support.
- Automatically prevent, detect, and mitigate advanced attacks within minutes with an integrated Al-driven security and advanced threat protection.
- Improve and unify the user experience with innovative SD-WAN capabilities with the ability to detect, contain, and isolate threats with automated segmentation.
- Utilize SPU hardware acceleration to boost network security performance.

### **Services**



# FortiGuard<sup>™</sup> Security Services

FortiGuard Labs offer real-time intelligence on the threat landscape, delivering comprehensive security updates across the full range of Fortinet's solutions. Comprised of security threat researchers, engineers, and forensic specialists, the team collaborates with the world's leading threat monitoring organizations and other network and security vendors, as well as law enforcement agencies.



### FortiCare<sup>™</sup> Support Services

Our FortiCare customer support team provides global technical support for all Fortinet products. With support staff in the Americas, Europe, Middle East, and Asia, FortiCare offers services to meet the needs of enterprises of all sizes.



For more information, please refer to forti.net/fortiguard and forti.net/forticare



## **Specifications**

|   | FORTIGATE 800D                            |  |  |  |
|---|---|--|--|--|
| Interfaces and Modules  |   |  |  |  |
| Hardware Accelerated 10 GE SFP+ Slots   | 2   |  |  |  |
| Hardware Accelerated GE SFP Slots   | 8   |  |  |  |
| Hardware Accelerated GE RJ45 Ports  | 20  |  |  |  |
| Accelerated GE RJ45 Bypass Interfaces   | 4   |  |  |  |
| GE RJ45 Management / HA Ports   | 2   |  |  |  |
| USB Ports (Client / Server)   | 1/2                                       |  |  |  |
| Console Port  | 1   |  |  |  |
| Onboard Storage   | 1x 240 GB SSD                             |  |  |  |
| Included Transceivers   | 2x SFP (SX 1 GE)                          |  |  |  |
| System Performance — Enterprise Traffic Mix   |   |  |  |  |
| IPS Throughput <sup>2</sup>   | 4.2 Gbps                                  |  |  |  |
| NGFW Throughput <sup>2,4</sup>  | 4 Gbps                                    |  |  |  |
| Threat Protection Throughput <sup>2,5</sup>   | 3 Gbps                                    |  |  |  |
| System Performance and Capacity   | 3 соро                                    |  |  |  |
|   | 26 / 26 / 22 Chrs                         |  |  |  |
| IPv4 Firewall Throughput<br>(1518 / 512 / 64 byte, UDP)                               | 36 / 36 / 22 Gbps                         |  |  |  |
| IPv6 Firewall Throughput  | 36 / 36 / 22 Gbps                         |  |  |  |
| (1518 / 512 / 86 byte, UDP)   | 30, 30, EE aspo                           |  |  |  |
| Firewall Latency (64 byte, UDP)   | 3 µs                                      |  |  |  |
| Firewall Throughput (Packet per Second)   | 33 Mpps                                   |  |  |  |
| Concurrent Sessions (TCP)   | 5 Million                                 |  |  |  |
| New Sessions/Second (TCP)   | 280,000                                   |  |  |  |
| Firewall Policies   | 10,000                                    |  |  |  |
| IPsec VPN Throughput (512 byte) 1   | 20 Gbps                                   |  |  |  |
| Gateway-to-Gateway IPsec VPN Tunnels  | 2,000                                     |  |  |  |
| Client-to-Gateway IPsec VPN Tunnels   | 50,000                                    |  |  |  |
| SSL-VPN Throughput  | 2.2 Gbps                                  |  |  |  |
| Concurrent SSL-VPN Users  | 5,000                                     |  |  |  |
| (Recommended Maximum, Tunnel Mode)  |   |  |  |  |
| SSL Inspection Throughput (IPS, avg. HTTPS) 3   | 3.9 Gbps                                  |  |  |  |
| SSL Inspection CPS (IPS, avg. HTTPS) 3  | 2,400                                     |  |  |  |
| SSL Inspection Concurrent Session   | 380,000                                   |  |  |  |
| (IPS, avg. HTTPS) <sup>3</sup> Application Control Throughput (HTTP 64K) <sup>2</sup> | 9 Gbps                                    |  |  |  |
| CAPWAP Throughput (1444 byte, UDP)  | 5.5 Gbps                                  |  |  |  |
| Virtual Domains (Default / Maximum)   | 10 / 10                                   |  |  |  |
| Maximum Number of FortiSwitches Supported   | 64  |  |  |  |
| Maximum Number of FortiAPs (Total / Tunnel)   | 1024 / 512                                |  |  |  |
| Maximum Number of FortiTokens   | 5,000                                     |  |  |  |
|   |   |  |  |  |
| High Availability Configurations  | Active-Active, Active-Passive, Clustering |  |  |  |

|  | FORTIGATE 800D   |  |  |  |
|--|--|--|--|--|
| Dimensions and Power                     |  |  |  |  |
| Height x Width x Length (inches)         | 1.75 x 17.0 x 16.4   |  |  |  |
| Height x Width x Length (mm)             | 44.45 x 432 x 416  |  |  |  |
| Weight                                   | 19.0 lbs (8.6 kg)  |  |  |  |
| Form Factor                              | 1 RU   |  |  |  |
| Wall Mountable                           | No   |  |  |  |
| AC Power Supply                          | 100-240V AC, 60-50 Hz  |  |  |  |
| Power Consumption (Average / Maximum)    | 128 W / 187 W  |  |  |  |
| Current (Maximum)                        | 110V/7A, 220V/3.5A   |  |  |  |
| Heat Dissipation                         | 636 BTU/h  |  |  |  |
| Redundant Power Supplies                 | (Hot Swappable) optional   |  |  |  |
| Operating Environment and Certifications |  |  |  |  |
| Operating Temperature                    | 32-104°F (0-40°C)  |  |  |  |
| Storage Temperature                      | -31-158°F (-35-70°C)   |  |  |  |
| Humidity                                 | 10-90% non-condensing  |  |  |  |
| Noise Level                              | 55 dBA   |  |  |  |
| Operating Altitude                       | Up to 7 400 ft (2 250 m)   |  |  |  |
| Compliance                               | FCC Part 15 Class A. C-Tick, VCCI, CE, UL/cUL, CE                  |  |  |  |
| Certifications                           | ICSA Labs: Firewall, IPsec, IPS, Antivirus, SSL-VPN;<br>USGv6/IPv6 |  |  |  |

Note: All performance values are "up to" and vary depending on system configuration.

- 1. IPsec VPN performance test uses AES256-SHA256.
- 2. IPS (Enterprise Mix), Application Control, NGFW, and Threat Protection are measured with Logging enabled.
- 3. SSL Inspection performance values use an average of HTTPS sessions of different cipher suites.
- 4. NGFW performance is measured with Firewall, IPS, and Application Control enabled.
- 5. Threat Protection performance is measured with Firewall, IPS, Application Control, and Malware Protection enabled.



### **Order Information**

| Product  | SKU              | Description  |
|--|------------------|--|
| FortiGate 800D                                       | FG-800D          | 22x GE RJ45 ports, 4x GE RJ45 with Bypass Protection, 8x GE SFP slots, 2x 10 GE SFP+ slots, SPU NP6 and CP8 hardware accelerated, 240 GB Internal onboard SSD storage. |
| Optional Accessories/Spares                          | SKU              | Description  |
| 1 GE SFP LX Transceiver Module                       | FG-TRAN-LX       | 1 GE SFP LX transceiver module for all systems with SFP and SFP/SFP+ slots.  |
| 1 GE SFP RJ45 Transceiver Module                     | FG-TRAN-GC       | 1 GE SFP RJ45 transceiver module for all systems with SFP and SFP/SFP+slots.   |
| 1 GE SFP SX Transceiver Module                       | FG-TRAN-SX       | 1 GE SFP SX transceiver module for all systems with SFP and SFP/SFP+ slots.  |
| 10 GE SFP+ Transceiver Module, Short Range           | FG-TRAN-SFP+SR   | 10 GE SFP+ transceiver module, short range for all systems with SFP+ and SFP/SFP+ slots.   |
| 10 GE SFP+ Transceiver Module, Long Range            | FG-TRAN-SFP+LR   | 10 GE SFP+ transceiver module, long range for all systems with SFP+ and SFP/SFP+ slots.  |
| 10 GE SFP+ Active Direct Attach Cable, 10m / 32.8 ft | SP-CABLE-ADASFP+ | 10 GE SFP+ active direct attach cable, 10m / 32.8 ft for all systems with SFP+ and SFP/SFP+ slots.   |
| AC Power Supply                                      | SP-FG600C-PS     | AC power supply for FG-600C, FG-800C, FG-800D and FG-1000C.  |

### **Bundles**



FortiGuard Labs delivers a number of security intelligence services to augment the FortiGate firewall platform. You can easily optimize the protection capabilities of your FortiGate with one of these FortiGuard Bundles.

| Bundles  | 360<br>Protection | Enterprise<br>Protection                | UTM  | Threat<br>Protection |
|--|-------------------|---|------|----------------------|
| FortiCare  | ASE 1             | 24x7                                    | 24x7 | 24x7                 |
| FortiGuard App Control Service   | •                 | •                                       | •    | •                    |
| FortiGuard IPS Service   | •                 | •                                       | •    | •                    |
| FortiGuard Advanced Malware Protection (AMP) — Antivirus, Mobile Malware,<br>Botnet, CDR, Virus Outbreak Protection and FortiSandbox Cloud Service | •                 | •                                       | •    | •                    |
| FortiGuard Web Filtering Service   | •                 | •                                       | •    |                      |
| FortiGuard Antispam Service  | •                 | •                                       | •    |                      |
| FortiGuard Security Rating Service   | •                 | •                                       |      |                      |
| FortiGuard Industrial Service  | •                 | •                                       |      |                      |
| FortiCASB SaaS-only Service  | •                 | •                                       |      |                      |
| FortiConverter Service   | •                 |   |      |                      |
| SD-WAN Cloud Assisted Monitoring <sup>2</sup>  | •                 | *************************************** |      |                      |
| SD-WAN Overlay Controller VPN Service <sup>2</sup>   | •                 |   |      |                      |
| FortiAnalyzer Cloud <sup>2</sup>   | •                 |   |      |                      |
| FortiManager Cloud <sup>2</sup>  | •                 |   |      |                      |

1. 24x7 plus Advanced Services Ticket Handling 2. Available when running FortiOS 6.2



www.fortinet.com

Copyright © 2020 Fortinet, Inc. All rights reserved. Fortinet®, FortiGate®, FortiGate®, FortiGate®, and certain other marks are registered trademarks of Fortinet, Inc., and other Fortinet names herein may also be registered and/or common law trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance and other metrics contained herein were attained in internal lab tests under ideal conditions, and actual performance and other results may vary. Network variables, different networks environments and other conditions may affect performance results. Nothing herein represents any binding commitment by Fortinet, and Fortinet disclaims all warranties, whether express or implied, except to the extent Fortinet enters a binding written contract, signed by Fortinet's General Councils, with a purches, what has presented and present and performance metrics expressly identified in such binding written contract shall be binding on Fortinet. For absolute clarity, any such warranty will be limited to performance in the same ideal conditions as in Fortinet's internal lab tests. Fortinet disclaims in full any covenants, representations, and guarantees pursuant hereto, whether express or implied. Fortinet reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable. Fortinet disclaims in full any covenants, representations, and guarantees pursuant hereto, whether express or implied. Fortinet reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable.

FST-PROD-DS-GT8H FG-800D-DAT-R19-202002